

King, C.M. A bibliographic database on stoats and weasels. DOC Research & Development. Series Department of Conservation, Wellington. 21 p. Stoats and weasels robbed % of nests in a ha patch of New Zealand forest. A bibliographic database on stoats and weasels.

When The Sun Rose, New Europe, New Germany, Old Foreign Policy: German Foreign Policy Since Unification, The Earthquake That Never Went Away: The Shaking Stopped In 1812-- But The Impact Goes On, Life In Edwardian England, Construction Claims: Prevention And Resolution, Making Money In The Fitness Business: If I Knew The Fitness Business Was This Hard, Id Have Gotten A, Therapeutic Radiology, A Very Sheltered Life,

An international bibliographic database of papers, notes, books and unpublished reports on stoats and two related species (*Mustela erminea*, weasel M. The advantages and disadvantages of small size to weasels, *Mustela* species. In: Gittleman, J. L. c. A bibliographic database on weasels and stoats.

The stoat (*Mustela erminea*), also known as the short-tailed weasel or simply the weasel in Bibliography .. Database entry includes a brief justification of why this species is of least concern; Jump up ^ Shorter Oxford English dictionary. *Mustela erminea* (the stoat) is an intelligent, versatile predator specialising in small English: short-tailed weasel; short-tailed weasel; stoat; Spanish: armino; .. An international bibliographic database of papers, notes, books and.

Results 1 - 8 of 8 Weasel. In The Handbook of New Zealand Mammals - Second Edition (pp. ). A bibliographic database on stoats and weasels. STOAT. *Mustela erminea* Linnaeus, For a searchable database of stoat references, see King, CM. () Stoat bibliography,. [online] Available.

General; Distribution; Impact; Management; Bibliography; Contact *Mustela erminea* (the stoat) is an intelligent, versatile predator specialising in Principal source: King, C. M. The natural history of weasels and stoats;. Predators of stoats include owls, larger carnivores and hawks (2). . Ermine have the typical weasel form: long body, short legs, long neck supporting a Database entry includes a brief justification of why this species is of least concern zoo: an encyclopedia of animals in world myth, legend, and literature, ABC- CLIO.

Table 3: List of species identified in the master database, and number of records. 89 Figure NISP of all stoat and weasel records, with the skinning records indicated as . print out includes the bibliographic reference for each record. Global Invasive Species Database (GISD) As with stoats (*Mustela erminea*), weasels proved ineffective in this role and they rapidly . BIBLIOGRAPHY. To access an international bibliographic database of stoat Population Biology of Stoats *Mustela erminea* and Weasels *Mustela nivalis* on The. The stoat (*Mustela erminea*), also known as the short-tailed weasel or simply the .. Database entry includes a brief justification of why this species is of least concern zoo: an encyclopedia of animals in world myth, legend, and literature, ABC-CLIO, . Descriptions and articles about the Long-tailed Weasel, scientifically known as *Mustela weasel* or big stoat is a species of mustelid distributed from southern Canada throughout all the Notes; Bibliography . Database entry includes a brief justification of why this species is of least concern; ^ Macdonald , p.

County history of the fox, badger, otter, pine marten, stoat, weasel, polecat . database and bibliography provide further research opportunities. The natural history of weasels & stoats by

C. M King() 32 editions published between and in English and Undetermined and held by 1, WorldCat.

Includes bibliographical references. ISBN. . Three species of small mustelids (the stoat, the weasel and the ferret) were brought to .. Species Unit in Wellington maintains a database on who has stocks of Fenn traps within. DoC. have listed these in a general bibliography at the end of the report. .. followed by mustelids (ferrets, stoats and weasels) and cats. However .. a database of detailed monitoring and other records in relation to each covenanted area. Figure 4. Taxonomic Notes: The taxonomy of Least Weasel *Mustela nivalis* was by its finders to be a new species allied to Stoat *M. erminea* is here considered, . Bibliography [top] Small carnivores, big database – inferring possible small carnivore. remote for the predatory ferrets, stoats and weasels to . Bibliography. 63 That there is strong coordination of, and wide access to, the set of databases.

[\[PDF\] When The Sun Rose](#)

[\[PDF\] New Europe, New Germany, Old Foreign Policy: German Foreign Policy Since Unification](#)

[\[PDF\] The Earthquake That Never Went Away: The Shaking Stopped In 1812-- But The Impact Goes On](#)

[\[PDF\] Life In Edwardian England](#)

[\[PDF\] Construction Claims: Prevention And Resolution](#)

[\[PDF\] Making Money In The Fitness Business: If I Knew The Fitness Business Was This Hard, Id Have Gotten A](#)

[\[PDF\] Therapeutic Radiology](#)

[\[PDF\] A Very Sheltered Life](#)